office chair

team

team

new,
versatile,
intelligent!

office chair team offers you the choice of a breathable mesh backrest and a generous upholstered backrest. A synchronous seat mechanism and a height- and depth-adjustable lumbar support provide maximum ergonomics and individual sitting comfort.

By turning the backrest handwheel, the lumbar support can be adjusted in height and depth. This ensures that your back is always optimally supported. The synchronous mechanism from team follows your movements.

Technical details and dimensions

Base	› Nylon base, black, Ø680mm › Gas spring in black
Frame	› Frame in plastic, black › With height- and depth-adjustable 2D plastic armrests, black
Seat	› Seat (WxD) 560 x 560 mm › Upholstered with cold foam, choice of covers
Back	› Breathable, covered with black mesh fabric › Optionally with upholstered back panel, upholstered inside, plastic outside, black, with fabric/imitation leather insert › Upholstered with cold foam, choice of covers
Technology	› Seat height adjustment 430 - 550 mm, via gas lift › Synchronous mechanism, anti-shock backrest, lockable in four positions
Equipment	› Nylon base › Double castors with large wheel (Ø 60 mm), black-grey › Height- and depth-adjustable plastic lumbar support › Height-adjustable headrest on request

Examples for covers*

Our cover fabrics are designed for heavy use and flame retardant.
Imitation leathers offer additional properties such as an antistatic and antibacterial surface.

** for more cover options see the following pages*

Fabric - Advantage

Imitation leather - Silvertex

Both models also available with height-adjustable headrest

Fabrics & Imitation leather

Price group 1

Fabric - Nova

flame-inhibiting

Composition:
100% polyester
Weight:
Approx. 560 g/m2
Abrasion resistance:
50,000 tours
Light fastness:
5-7 (ISO 105-B02:1996)
Rub fastness:
Wet/dry: 4-5
(ISO 105-X12:1995)
Fire safety:
D - DIN EN 1021-1
(cigarette test)
D - DIN EN 1021-2
(butane flame test)


60 Red

81 Turquoise

32 Beige

21 Lightgrey

31 Sand

13 Graphit

50 Yellow

51 Orange

76 Azur

77 Pigeonblue

82 Green

74 Blue

68 Burgundy

10 Black

Fabric - Advantage

flame-inhibiting

10 years warranty

Composition:
60% polypropylene,
30% wool, 10% viscose
Weight:
385 g/m2
Abrasion resistance:
90,000 tours
Light fastness:
5 (ISO 105 - B02)
Fire safety:
BS EN 1021 - 1:2014
(cigarette test)
BS EN 1021 - 2:2014
(match test)
BS 7176:2007 Low Hazard


AD126 Clipper


AD066 Graphite


AD017 Sea Blue

AD122 Kingfisher

AD001 Adriatic


AD213 Hobbit

AD010 Mineral


AD124 Trident


AD020 Wine

AD009 Granite

AD118 Purple


AD014 Red

AD011 Nightshade

AD055 Black

Imitation leather - Pisa

flame-inhibiting · Ökotex Standard 100 · easy to clean · Disinfection agent resistant

Composition:
88% PVC coating,
12% viscose fabric
- leather typical, soft,
elastic, scratch-resistant,
bright colors, UV-resistant,
durable, dirt resistant
Weight: 610 g/m2
Abrasion resistance:
100.000 tours
Light fastness:
6 (ISO 105-B02)
Fire retardant:
flame retardant according
to DIN EN 1021-1+2 and
DIN 75200 / FMVSS 302
Resistant to:
Chlorinated water and
disinfectants
Biocompatible:
according to DIN EN ISO
10993-5

008920 Mandarin

003330 White

003332 Sand

003333 Chrome

019666 Mahagoni


003335 Lemonade

008567 Light blue

003600 Atoll

003345 Cherry

003348 Royal

00342 Cyclame

006466 Baltic

004021 Anthrazcite

003336 Mint

003337 Turquoise

003338 Agave

003349 Black

Info

The colors listed here show only a selection as an example. We offer in each case the entire fabric collection or all colors.

Price group 1

Imitation leather - Valencia

flame-inhibiting · antibacterial Protection · antistatic Surface · easy to clean · Disinfection agent resistant

Composition:
Coating: 100%Vinyl
Carrier: 100% Polyester
Weight:
650 g/m2
Abrasion resistance:
300,000 tours
Features:
Leather look,
Antistatic surface,
Water repellent,
Cold break resistant,
very robust and durable surface,
Chemical resistant,
resistant to
sulfide stains,
Stain resistant surface,
Mildew resistant backing layer
and surface.
Antibacterial Protection:
Antimicrobial, Antibacterial
and antifungal finish
UV Resistance:
1000 hours blue wool scale
Fire safety:
EN 1021 parts 1 and 2

107-2112 Tomato

107-9607 Pure White

107-1048 Sisal

107-4044 Warm Grey

107-2113 Lotus

107-2106 Coral

107-2107 Skylight

107-6012 Safran

107-2110 Avocado

107-5056 Jade

107-2116 Camel

107-0034 Taupe

107-5001 Olive

107-1020 Ivory Metallic

107-6003 Nectarine

107-5057 Türkis

107-4042 Titan

107-5041 Apple

107-0035 Terracotta


107-5065 Petrol

107-3067 Delft

Imitation leather - Silvertex

flame-inhibiting · antibacterial Protection · antistatic Surface · easy to clean · Disinfection agent resistant

Composition:
Coating: 100%Vinyl
Carrier: 100% Polyester
Weight:
685 g/m2
Abrasion resistance:
300,000 tours
Features:
deceptively real fabric look,
metallic shimmer,
Antistatic surface,
water repellent,
cold break resistant,
very robust and
durable surface,
Chemical resistant,
resistant to
sulfide stains,
Stain resistant surface,
Mildew resistant backing layer
and surface.
Antibacterial Protection:
Antimicrobial, Antibacterial
and antifungal finish
UV Resistance:
1000 hours blue wool scale
Fire safety:
EN 1021 parts 1 and 2


122-2105 Camel

122-2101 Aluminium

122-2102 Coral

122-2090 Icecream

122-5009 Sage

122-2103 Skylight

122-2098 Rosé

122-0009 Taupe


122-4001 Plata

122-2096 Tomato

122-2012 Sunkist

122-7002 Magenta

122-3067 Delft

122-40004 Ice

122-2003 Cobre

122-0002 Sandstone

122-0005 Mocca

122-2064 Wine

122-1014 Umber

122-4002 Storm

122-2093 Squash

Fabrics & Imitation leather

Price group 2

Fabric - Urban

Composition:
100% Recycled flame retardant Polyester
Weight: *Approx. 340 g/m2*
Abrasion resistance:
100,000 tours
Light fastness:
6 (ISO 105 - B02)
Rub fastness:
Wet: 4, Dry: 4 (ISO 105 - X12)
Fire safety:
Fire protection class B1
DIN 4102 B1
EN 1021-1&2 Cigarette test & match test

Fire protection class B1 -hardly flammable · *Ökotex Standard 100* · *10 years warranty*

YN027 Precinct



YN108 Living · YN206 Curb · YN148 Avenue · YN200 Uptown
YN208 Ringroad · YN211 Freeway · YN083 Junction · YN160 Boulevard
YN082 Conurbation · YN203 Cosmopolitan · YN210 Nightowl · YN009 Subway

Fabric - Xtreme

Composition:
100% post-consumer recycled polyester - crepe fabric, stretchable, flame retardant, durable and robust, does not form knots
Weight: *310 g/m2*
Abrasion resistance:
100,000 tours
Light fastness: *6 (ISO 105 - B02)*
Fire safety:
Fire protection class B1
DIN 4102 B1
EN 1021 - 1&2 cigarette test & match test

Fire protection class B1 -hardly flammable · *Ökotex Standard 100* · *10 years warranty*

YS005 Curacao, YS096 Apple, YS156 Madura

YS108 Aruba · YS156 Madura · YS173 Rum · YS097 Bluebell
YS074 Campeche · YS073 Parasol · YS168 Tortuga · YS160 Tonga
YS079 Panama · YS171 Osumi · YS082 Scuba · YS009 Havana

Fabric - Era

Composition:
100% polyester
Features:
Lightweight and elegant, the herringbone weave offers a sleek and modern texture, some colors iridesce in two colors
Weight:
320 g/m2
Abrasion resistance:
100,000 tours

flameinhibiting · *Ökotex Standard 100* · *10 years warranty*

CSE20 Aeon, CSE23 Occurence, CSE01 Futurist



CSE46 Memo · CSE01 Futurist · CSE03 Lifetime · CSE06 Cycle
CSE23 Occurence · CSE39 Youth · CSE36_Notation · CSE37 Rest
CSE20 Aeon · CSE08 Chapter · CSE43 Late · CSE40 Maturity

Info

The colors listed here show only a selection as an example. We offer in each case the entire fabric collection or all colors.

Price group 2

Fabric - Chateau

Composition:
100% flame retardant polyester
Features:
two-tone, checkered look
Weight:
225 g/m2
Abrasion resistance:
100,000 tours
Light fastness:
6 (ISO 105 - B02)
Fire safety:
Fire protection class B1
DIN 4102 B1
EN 1021 - 1&2 Cigarette test & match test

Fire protection class B1 -hardly flammable · *Ökotex Standard 100* · *10 years warranty*

CSP29 Tarascon

CSP19 Palice



CSP29 Tarascon · CSP38 Perigord · CSP01 Pomerol · CSP15 Biron
CSP33 Rideau · CSP14 Motte · CSP19 Palice · CSP11 Bonpas
CSP03 Brissac · CSP07 Dollard · CSP39 Trianons · CSP48 Beauvois

Imitation leather - Valencia B1

Composition:
Coating: 100%Vinyl
Carrier: *100% Polyester*
Weight: *650 g/m2*
Abrasion resistance:
300,000 tours
Features:
Leather look, Antistatic surface, Water repellent, Chemical resistant, Mildew resistant surface Antibacterial Protection: Antimicrobial, Antibacterial and antifungal finish
UV Resistance:
1000 hours blue wool scale
Fire safety:
Fire protection class B1
DIN 4102 B1 + EN 1021 part 1 and 2

Fire protection class B1 -hardly flammable · *antibacterial Protection* · *antistatic Surface* · *Disinfection agent resistant* · *easy to clean*



VB1-2107 Skylight · VB1-2109 Citrus · VB1-2116 Camel · VB1-1049
VB1-2110 Avocado · VB1-4040 Auster · VB1-6019 Orange · VB1-2119 Teal
VB1-2111 Squash · VB1-2074 Kirsche · VB1-3067 Delft · VB1-9035 Schwarz

Imitation leather - Silvertex B1

Composition:
Coating: 100%Vinyl
Carrier: *100% Polyester*
Weight: *685 g/m2*
Abrasion resistance:
300,000 tours
Features:
Leather look, Antistatic Surface, Water repellent, Chemical resistant, Mildew resistant surface Antibacterial Protection: Antimicrobial, Antibacterial and antifungal finish
UV Resistance:
1000 hours blue wool scale
Fire safety:
Fire protection class B1
DIN 4102 B1 + EN 1021 part 1 and 2

Fire protection class B1 -hardly flammable · *antibacterial Protection* · *antistatic Surface* · *Disinfection agent resistant* · *easy to clean*

SB1 - 2101 Aluminium · SB1 - 2105 Camel · SB1 - 2090 Icecream · SB1 - 3068 Sage
SB1 - 2103 Skylight · SB1 - 2098 Rosé · SB1 - 0001 Macadamia · SB1 - 4011 Sterling
SB1 - 2091 Citrus · SB1 - 2095 Grenadine · SB1 - 2097 Orchid · SB1 - 9001 Schwarz

ESD/Imitation leather/Genuine leather

Price group 3

ESD Fabric - Hi-Tech

Hi-Tech is a particularly high-performance upholstery fabric with unique anti-static properties. It is specially designed to dissipate the build-up of static charge from the furniture to the ground, so there are no nasty knocks. Hi-Tech is an attractive plain dobby woven fabric.

Composition:
60% polypropylene, 29% , wool, 10% , Viscose, 1% carbon fiber
Weight:
approx. 385 g/m2
Abrasion resistance:
60,000 tours
Light fastness:
5 (ISO 105 - B02)
Electrical Resistance:
ISO 61340-5-1 Resistivity (OHM) Resistance to point of contact shall not exceed 1010 OHM.
Fire safety:
EN 1021 - 1&2 cigarette test & match test.



AS085 Corinth | AS004 Cobalt | AS061 Twilight
AS078 Anthracite | ASooo Charcoal | AS064 Black

10 years warranty · *flame-inhibiting* · *Ökotex Standard 100* · *ESD - electrically conductive*

● *Stoff Hi-Tech ist nur in den hier aufgeführten Farben erhältlich.*

ESD Imitation leather - Mano

High-quality vinyl with fine calfskin grain. The surface of the material is electrically conductive and therefore particularly suitable for areas of application where electrostatic charging is to be avoided.

Composition:
Coating: approx. 90% PVC compound
Carrier: *approx. 10% BW/PES knitted fabric*
Weight:
approx. 385 g/m2
Material properties:
Reach compliant, easy-to-clean, disinfectant resistant, lightfast

F6461486 Black

Disinfection agent resistant · *easy to clean* · *ESD - electrically conductive*

● *only available in black*

Info

The colors listed here show only a selection as an example. We offer in each case the entire fabric collection or all colors.

Price group 3

Imitation leather - Skai Parotega

Upholstery fabric in soft nappa quality with classic leather grain. Due to its natural look and feel, the material is almost indistinguishable from genuine leather.

Composition:
Coating: *approx. 85% PVC compound*
Carrier: *approx. 15% BW knitted fabric*

Weight:
approx. 780 g/m2
Abrasion resistance:
75.000 tours
Material properties:
Reach conform, easy-to-clean, abrasion resistant, tear resistant. Disinfectant resistant, Blood and urine resistant, Water repellent, Chemical resistant, Light fast.
Fire safety:
Fire protection class B1
DIN EN4102-B1

Fire protection class B1 -hardly flammable · *Disinfection agent resistant* · *easy to clean*

Mango F6461 666

Gletscher F6461708

Lightbeige F6461632 | Birke F6461 661 | Fango F6461658 | Olivbrown F6461704
Silvergrey F6461730 | Ashgrey F6461769 | Cinder F6461 763 | Anthracite F6461663
Mint F6461767 | Limone F6461 657 | Sherry F6461 654 | Schoko F6461 656
Corn F6461 706 | Feuer F6461 707 | Cherry F6461 665 | Rainforest F6461768
Fuchsia F6461 735 | Acqua F6461 709 | Royal F6461 710 | Nightblue F6461 729

Genuine leather - Ocean Collection

flame-inhibiting

Grain corrected, printed cowhide of European origin. Dyed through. Finishing with water, resins and pigments, soft touch, silky feel and matt appearance.

Thickness: *0.8 - 1.0 mm.*
Average skin size:
Approx. 4,8 - 5,0 sqm.
Features:
European cowhide, embossed, leather with soft feel and silky matte appearance.
Water-based finish.
UV resistance:
UNI EN ISO 105 B02 (MET. 5).
Fireproofing:
Cigarette test & match test.
BS 5852:1979
BS EN 1021-1-2:2006

Mauritius 443



Nocciola 411

Milk 427 | Ghiaccio 404 | Fumo 408 | Fango 407
Wool 447 | Acqua 422 | Cloudy 438 | Sky 439
Malibu 444 | Emerald 445 | Denim 440 | Electric Blue 441
Lemon 430 | Calypso 442 | Red 417 | Bordeaux 416
Green 425 | Topo 421 | Blue 426 | Nero 423

bemefa Metallmöbel GmbH
Annaberger Straße 282 a
09125 Chemnitz

—

T +49 (0) 371 5280 0
F +49 (0) 371 5280 180

info@bemefa.com
www.bemefa.com